



26/1 Sofiyskaya Embankment  
Moscow, 117997  
Russia  
Tel.: +7 499 517 88 99  
Fax: +7 499 517 72 35  
E-mail: postman@rosneft.ru  
http://www.rosneft.com

№ ИСХ-06-52312-21  
27.09.2021

To all tender participants

Dear Sirs,

We hereby invite you to submit your formal bids to purchase oil products on the following terms:

<b>Lot #</b>	2022-7
<b>Product</b>	High-octane component of motor and aviation gasoline - Alkylate
<b>Producer</b>	Ufa group of refineries. Other Producers are in Seller's option subject to meeting the below quality guarantees.
<b>Quantity</b>	up to 360 000 mt in Seller's option
<b>Delivery terms</b>	FOB Baltic / White / Barents / Black / Azov Sea in Seller's option,  CPT RW station (border of the Russian Federation or any Russian port) in Seller's option.  We are currently developing our shipping activity therefore please also provide your bids on CIF/CFR basis or propose alternative FOB + freight formula (flat rate * world scale average month of nomination)
<b>Delivery period</b>	January 01, 2022 – December 31, 2022 (both dates inclusive), carryover deliveries of FOB volumes are available until January, 2023.
<b>Quality</b>	As per the guaranteed quality specification below. Typical specification for this product is enclosed strictly for information purposes and shall not carry an obligation of the Seller to meet its parameters

<b>Bidding deadline</b>	The signed bid shall be submitted strictly through CJSC TEK – Torg electronic platform in the relevant Rosneft’s module ( <a href="https://tender.tektorg.ru">https://tender.tektorg.ru</a> ) under the heading “Tender sales of RAW HYDROCARBONS” pursuant to rules and regulations of the electronic platform <b>no later than 15:00 Moscow time on the 8th of October, 2021.</b>
<b>Bid validity</b>	Your bid should be <b>valid through the 30th of November 2021 at 22:00 Moscow time.</b> Should validity not be indicated in your bid, Rosneft shall deem your bid irrevocable and valid through the general validity deadline indicated above.
<b>Restrictions</b>	<b>Rosneft shall not consider and will reject any bids which contain the following:</b> <ul style="list-style-type: none"> <li>- pricing period options,</li> <li>- non-relevant quotations,</li> <li>- any additional quality guarantees outside the standard guaranteed specification,</li> <li>- escalation/ de-escalation in Buyer’s option,</li> <li>- escalation/ de-escalation based on any additional parameters except indicated in respective column,</li> <li>- laydays and cargo sizes in Buyer’s option,</li> <li>- quantity in Buyer’s option,</li> <li>- delivery terms in Buyer’s option,</li> <li>- non-standard payment terms, as well as any non-standard currency/alternative currency clauses,</li> <li>- cancel/re-sell clause,</li> <li>- provision of Financial statements clause,</li> <li>- alternative Anti-corruption, Confidentiality, Sanctions, Limitation of Liability, Destination clauses</li> </ul>
<b>General terms and conditions</b>	The following Rosneft standard terms and conditions are attached to this invitation letter and shall be incorporated into a written form of bilateral Contract, which is binding for execution in case the bid is acknowledged by Rosneft as winning:  <ul style="list-style-type: none"> <li>a) Laytime, Specific conditions 1-4, Nomination, Payment terms, Currency/Alternative currency - as per <b>Attachment №1;</b></li> <li>b) Anti-corruption, Confidentiality, Sanctions, Liability - <b>as per Attachment № 2;</b></li> <li>c) Destination - <b>as per Attachment № 3</b></li> </ul> (all a), b) and c) – “the Rosneft Standard”).

	By submitting the bid, you fully accept all provisions of the Rosneft Standard and express your intention to be deemed a person entering into transaction with Rosneft on terms of your bid and the Rosneft Standard, conditional upon acceptance of your bid by Rosneft. In case of acceptance of your bid by Rosneft via relevant written notification, your company shall be fully liable to Rosneft for performance of transaction on the terms of the Rosneft Standard and the executed bilateral sales and purchase agreement.
<b>Pricing:</b>	The average quotations for Eurobob as published in Platt's European Marketscan under the heading «Barges FOB Rotterdam»
<b>Pricing period:</b>	Month of actual delivery. Average of all quotations published during month of BL date (for FOB terms) and month of dispatch from refineries (for CPT terms)
<b>Escalation/ De-escalation:</b>	Kindly note that we will not review or consider any escalation/de-escalation.
<b>Jurisdiction:</b>	In accordance with the laws of the Russian Federation.
<b>Cargo sizes:</b>	<p><u>For FOB terms</u></p> <p>- 5 000 mt +/-10% in Seller's operational tolerance. or - 10 000 mt +/-10% in Seller's operational tolerance.</p> <p>Other cargo size is subject to mutual agreement.</p> <p>Rosneft shall have the right but not an obligation to award the bids for cargo sizes other than stipulated above</p>

**No other quality guarantees or assurances apart from the above are guaranteed by the Seller.**

**Historical quality specifications are enclosed for information purposes only and are not guaranteed from our side.**

**By presenting your bid (s) you confirm and agree that the subject Catalytic cracking gasoline (component) is of fully merchantable quality, that you fully understand and accept its quality and therefore waive the right to present any claims on non-merchantability of the delivered products unless the**

specification deviates from that described above.

**Guaranteed quality specification:**

Test	Unit	Method	Guarantee
Research Octane Number (RON), min		GOST 8226-2015	94,0
Distillation			
Initial boiling point,	Degrees C	ASTM D 86-17	not rated, determination required
FBP, max	Degrees C	ASTM D 86-17	210,0
Density at 15 Dgr C, max	kg/m (3)	GOST R 51069- 97	720,0
Sulfur content, max	Mg/kg	GOST R EN ISO 20846-2006	20,0
Vapor pressure, max	kPa	GOST 1756-2000	70,0
Copper strip Corrosion		GOST 6321-92	Passes
Sediments and water		TU 38.101372-84	absence
Water soluble acids and alkalis		GOST 6307-75	absence

- ! No other quality guarantees or assurances apart from the above are guaranteed by the Seller.
- ! Historical quality specifications are enclosed for information purposes only and are not guaranteed from our side.
- ! By presenting your bid (s) you confirm and agree that the subject High-octane component of motor and aviation gasoline -alkylate is of fully merchantable quality, that you fully understand and accept its quality and therefore waive the right to present any claims on non-merchantability of the delivered products unless the specification deviates from that described above.

Mandatory conditions for consideration of the bids/bid requirements are as follows:

- ✓ Completed Rosneft Oil Company counterparty clearing procedure.
- ✓ A signed bid sent to Rosneft Oil Company strictly through CJSC TEK – Torg electronic platform in relevant Rosneft's module (<https://tender.tektorg.ru>) in

section under the heading “Tender sales of RAW HYDROCARBONS” pursuant to the rules and conditions of the electronic platform;

- ✓ A signed bid shall include the following information:
  - Product name and producer
  - Quantity of products
  - Delivery basis and delivery period
  - Pricing for each relevant delivery basis
  - Your express confirmation of the terms of this invitation letter and the Rosneft Standard in the following format: **“Hereby we expressly confirm and accept the terms of the Rosneft invitation letter and the Rosneft Standard and acknowledge that this bid is submitted on terms of the Rosneft invitation letter and the Rosneft Standard.”**
  
- ✓ Your bids shall be submitted in a table format as follows:

Refinery	Product	Quality (if applicable)	Delivery period	Quantity, tons (from 0 up to X mt)	Delivery terms (dispatch point/destination), as per terms indicated in the invitation.	Price/premium/disc out against price formula, in USD per ton at delivery terms	Price formula + pricing period

- ! **Bids forwarded by other means and/or to other addresses (as well as those forwarded after the Bidding deadline indicated in this letter) shall not be considered.**
- ! **Compliance with the Bidding deadline is a mandatory prerequisite for consideration of your bid by Rosneft.**
- ! **The correct format and substance of your bid helps us expedite our consideration of your bid.**
- ! **Your acceptance of the terms of this invitation, Attachments № 1, 2, 3 hereto and form of the Rosneft bilateral sales and purchase agreement is an essential condition for consideration of your Bid**
- ! **If, upon acceptance of your offer by Rosneft, you refuse to close a transaction by signing the bilateral sale and purchase agreement on terms of the accepted offer and the Rosneft Standard, Rosneft, at its sole discretion, will be entitled to re-sell the agreed quantity of the products to a third party and to claim all possible and actually incurred damages from you, including but not limited to difference**

between the price offered by you and the price of re-sale.

- ! Rosneft Oil Company reserves the right to reject any bids with validity, which deviates from the requirement stipulated in this letter.
- ! Rosneft Oil Company reserves the right to decline all bids received.
- ! The Seller shall be Rosneft Oil Company.

If you have encountered theft, fraud or corruption in Rosneft, please reach out to us via the Security Hotline. We ensure confidentiality of all calls and messages.

Contact phone number: 8 (800) 500-25-45 – (free call around-the-clock)

E-mail: [sec\\_hotline@rosneft.ru](mailto:sec_hotline@rosneft.ru)

Mailing address: 119180, Moscow, 3/9 B. Polyanka, POB 13

(marked "Security hotline")

**This letter constitutes an invitation to make offers, is not an offer or an offer to take part in the auction or tender, under no circumstances should it be considered a legally binding document for Rosneft, and does not impose any obligations on Rosneft, including the acceptance of any of the received offers.**

We are looking forward to our long-term and mutually beneficial cooperation.

Kind regards,

Denis Nyrkov  
Director  
Crude Oil and Product Trading Department





Филиал публичного акционерного общества  
«Акционерная нефтяная компания «Башнефть» «Башнефть-Новыйл»  
Юридический адрес:  
Российская Федерация, 450077, Республика Башкортостан, г.Уфа, ул.Карла Маркса, д.30, к.1  
Адрес производства:  
Российская Федерация, 450037, Республика Башкортостан, г. Уфа-37  
e-mail: bnf-novoll@bashneft.ru, тел. 8(347)269-82-38, факс 8(347)269-81-55  
Испытательный центр – управление контроля качества (ЦЗЛ)  
Российская Федерация, 450037, Республика Башкортостан, г. Уфа-37  
e-mail: bnf-novoll@bashneft.ru, тел. 8(347)269-82-38, факс 8(347)269-81-55

ПАСПОРТ № 6450

Высокооктановый компонент автомобильного и авиационного бензина - алкилат  
по СТО 00135645-2.01-2012

Обозначение документов, устанавливающих требования к продукции:  
СТО 00135645-2.01-2012 «Высокооктановый компонент автомобильного и авиационного бензина - алкилат»

Код ОКПД2: 19.20.23.190  
Номер партии: 6450  
Дата изготовления: ~~31.12.2020~~  
Размер партии (масса): 2656 т  
Место отбора пробы (по ГОСТ 2517-2012): резервуар № 132  
Уровень наполнения: 938 см  
Дата отбора пробы: ~~31.12.2020~~  
Дата проведения испытаний: ~~31.12.2020~~  
Паспорт выдан на основании: протокола испытаний от ~~31.12.2020~~ № 6450

Наименование показателя	Метод испытания	Норма по СТО 00135645-2.01-2012	Фактическое значение
1. Детонационная стойкость: октановое число по моторному методу	ГОСТ 511-2015	не менее 91,0	93,4
по исследовательскому методу	ГОСТ 8226-2015	не менее 94,0	96,4
2. Фракционный состав:	ASTM D 86-19		
температура начала кипения, °С		не нормируется, определение обязательно	31,0
10% перегоняется при температуре, °С		не нормируется, определение обязательно	61,0
50% перегоняется при температуре, °С		не нормируется, определение обязательно	106,0
90% перегоняется при температуре, °С		не более 155	130,0
температура конца кипения, °С		не более 210	190,0
остаток в колбе, %		не более 2,0	1,0
Объем испарившегося алкилата, в % при температуре:			
70 °С		5-14	14,0
100 °С		не более 38	31,0
150 °С		не менее 87	92,0
3. Давление насыщенных паров алкилата, кПа	ГОСТ 1756-2000	не более 70	65,0
4. Кислотность, мг КОН на 100 см <sup>3</sup> алкилата	ГОСТ 5985-79	не более 0,40	0,06
5. Йодное число, г йода на 100 г алкилата	ГОСТ 2070-82	не более 0,5	0,3
6. Массовая доля серы, мг/кг	ГОСТ ISO 20846-2016	не более 20,0	3,1
7. Испытание на медной пластинке	ГОСТ 6321-92	выдерживает	выдерживает
8. Содержание водорастворимых кислот и щелочей	ГОСТ 6307-75	отсутствие	отсутствие
9. Содержание механических примесей и воды	п.10.3 СТО 00135645-2.01-2012	отсутствие	отсутствие
10. Плотность при 15 °С, кг/м <sup>3</sup>	ГОСТ Р 51069-97	не более 720	695,0

**Заключение:** Высокооктановый компонент автомобильного и авиационного бензина - алкилат по СТО 00135645-2.01-2012

**соответствует требованиям:**


- СТО 00135645-2.01-2012 «Высокооктановый компонент автомобильного и авиационного бензина - алкилат»;

**Дополнительная информация:**

- транспортирование и хранение по ГОСТ 1510-84;

- изготовитель филиал ПАО АНК «Башнефть» «Башнефть-Новыйл» гарантирует соответствие качества алкилата требованиям СТО 00135645-2.01-2012 при соблюдении условий транспортирования и хранения по ГОСТ 1510-84 в течение 1 года со дня изготовления;

- паспорт безопасности № 67826761.19.50250.



Начальник лаборатории

Старший лаборант

Дата выдачи паспорта: ~~31.12.2020~~

подпись Михеева Л.В.

Ишбаева Э.Р.



филиал публичного акционерного общества  
«Акционерная нефтяная компания «Башнефть» «Башнефть-Новоил»  
Юридический адрес:  
Российская Федерация, 450077, Республика Башкортостан, г.Уфа, ул.Карла Маркса, д.30, к.1  
Адрес производства:  
Российская Федерация, 450037, Республика Башкортостан, г. Уфа-37  
e-mail: bnf-novoil@bashneft.ru, тел. 8(347)269-82-38, факс 8(347)269-81-55  
Испытательный центр – управление контроля качества (ЦКЛ)  
Российская Федерация, 450037, Республика Башкортостан, г. Уфа-37  
e-mail: bnf-novoil@bashneft.ru, тел. 8(347)269-82-38, факс 8(347)269-81-55

**ПРИЛОЖЕНИЕ К ПАСПОРТУ № 6450**

**Высокооктановый компонент автомобильного и авиационного бензина - алкилат  
по СТО 00135645-2.01.-2012**

№ п/п	Обозначение законодательного акта, нормативного документа или свода правил	Сведения, необходимые для описания товаров		
		Наименование показателя	Метод испытания	Фактическое значение
1.	Решение Комиссии Таможенного союза от 20.05.2010г. № 257 «Об Инструкции по заполнению таможенных деклараций и формax таможенных деклараций». Решение Совета Евразийской экономической комиссии от 16.07.2012г. № 54 «Об утверждении единой Товарной номенклатуры внешнеэкономической деятельности Евразийского экономического союза и единого Таможенного тарифа Евразийского экономического союза»	Фракционный состав: - 5 % об. перегоняется при температуре, °С	ASTM D 86-19	45,0
		- 90 % об. перегоняется при температуре, °С		130,0
		- процент перегонки при температуре 210°С, % (по объему)		—
		Углеводородный состав: - содержание пентана (C <sub>5</sub> ), % масс.	ГОСТ 32507-2013 (метод Б)	4,96
		- содержание гексана (C <sub>6</sub> ), % масс.		5,02
		Наименование процесса переработки	Алкиляция.	
2.	Налоговый кодекс Российской Федерации, статья 181, п.п. 10	Плотность при 20 °С, кг/м <sup>3</sup>	ГОСТ 3900-85	692
		Агрегатное состояние при температуре 20 °С и давлении 760 мм рт.ст.		жидкость

Начальник лаборатории  
Старший лаборант  
ИП Дата выдачи паспорта ~~31.12.2020~~

подпись, Михеева Л.В.  
 Ишбаева Э.Р.

